

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S31	13	(allen-loretta-e.in. bryant-robert-c.in. simpson-william-h.in. patton-david-l.in. frosig-peter-a. in.) and @pd>"20041119"	US-PGPUB ; USPAT; USOCR, EPO; JPO	OR	OFF	2005/05/12 18:02
S32	1	overlay\$3 near5 (barcode (bar adj code)) and @pd>"20041119"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:03
S33	0	overlay\$3 near5 (barcode (bar adj code)) and @pd>"20041119"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:05
S34	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20041119"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:05
S35	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (read\$3 scan\$4) and @pd>"20041119"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:06
S36	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20041119"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:06
S37	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (read\$3 scan\$4) and @pd>"20041119"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:06
S38	2	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20041119"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:07

S39	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20041119"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:07
S40	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) same (read\$3 scan\$4) and @pd>"20041119"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:07
S41	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) same (read\$3 scan\$4) and @pd>"20041119"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:07
S42	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20041119"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:08
S43	1	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20041119"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:08
S44	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20041119"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:08
S45	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20041119"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:08
S46	5	(duplicat\$3 identical\$2 redundant) near5 (barcode\$1 (bar adj1 code\$1)) near5 (print\$3 form\$3) and @pd>"20041119"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:09

S47	0	(duplicat\$3 identical\$2 redundant) near5 (barcode\$1 (bar adj1 code\$1)) near5 (print\$3 form\$3) and @pd>"20041119"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:10
S48	3	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (clear transparent translucent (see adj through))	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:11
S49	315	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register)	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 17:29
S50	1	("5575507").PN.	US-PGPUB ; USPAT	OR	OFF	2005/05/12 18:17
S51	7	((duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register)) same (transparen\$2 translucent (see adj through) ((transmit\$4 pass\$3 through) near3 light))	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 17:38
S52	29	((duplicat\$3 identical\$2) with (code\$1 indicia) with (overlay\$3 superpos\$3 superimpos\$3 register)) same (transparen\$2 translucent (see adj through) ((transmit\$4 pass\$3 through) near3 light))	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 17:59
S53	1	((duplicat\$3 identical\$2) with (code\$1 indicia) with (overlay\$3 superpos\$3 superimpos\$3 register)) same (transparen\$2 translucent (see adj through) ((transmit\$4 pass\$3 through) near3 light))	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:00
S54	4	(allen-loretta-e.in. bryant-robert-c.in. simpson-william-h.in. patton-david-l.in. frosig-peter-a.in.) and @pd>"20050310"	US-PGPUB ; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/12 18:02
S55	2	overlay\$3 near5 (barcode (bar adj code)) and @pd>"20050310"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:03

S56	0	overlay\$3 near5 (barcode (bar adj code)) and @pd>"20050310"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:05
S57	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20050310"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:06
S58	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (read\$3 scan\$4) and @pd>"20050310"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:06
S59	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20050310"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:06
S60	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (read\$3 scan\$4) and @pd>"20050310"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:06
S61	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20050310"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:07
S62	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20050310"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:07
S63	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) same (read\$3 scan\$4) and @pd>"20050310"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:07

S64	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) same (read\$3 scan\$4) and @pd>"20050310"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:07
S65	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20050310"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:08
S66	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20050310"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:08
S67	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20050310"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:08
S68	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20050310"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:08
S69	4	(duplicat\$3 identical\$2 redundant) near5 (barcode\$1 (bar adj1 code\$1)) near5 (print\$3 form\$3) and @pd>"20050310"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:09
S70	0	(duplicat\$3 identical\$2 redundant) near5 (barcode\$1 (bar adj1 code\$1)) near5 (print\$3 form\$3) and @pd>"20050310"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:10
S71	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (clear transparent translucent (see adj through)) and @pd>"20050310"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/05/12 18:11

S72	15	(("5575507") or ("5316343") or ("4889367") or ("20020105183") or ("5259907") or ("5522623") or ("20040028880") or ("20040029732") or ("20020108702") or ("6664212") or ("6346316") or ("6308630") or ("5432145") or ("5322832") or ("5244234")).PN.	US-PGPUB ; USPAT	OR	OFF	2005/05/12 18:19
S73	2	("5990918").URPN.	USPAT	OR	OFF	2005/05/12 18:46
S74	1	("20050052519").PN.	US-PGPUB ; USPAT	OR	OFF	2005/05/12 18:47
S75	1	("6759369").PN.	US-PGPUB ; USPAT	OR	OFF	2005/05/12 18:47